EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(lob near1 fragment) and ((terminat \$4) near3 (bit)) and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/08 10:19
L2	1	("20040220946").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/05/08 10:20
L3	1	2 and lob	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/05/08 10:20
L4	6	(lob) and ((terminat\$4) near3 (bit)) and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/08 10:21
L5	4	4 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/08 10:21
L6	17	(lob) and ((terminat\$4) near3 (bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/08 10:22
L7	9	6 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/08 10:22
L8	5	7 and (type near4 (field or code or bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/08 10:23
S1	1	("5634123").PN.	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 11:56
S2	1	("20040220946"). PN.	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:43

S3	1	("6012067"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:37
S4	0	("6904454b2"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:50
S5	1	("6904454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:51
S6	1	("6631130").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:51
S7	1	("20050234986"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 13:04
S8	1	S7 and (single with binar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 11:57
S9	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 12:07
S10	1	99 and single	US-PGPUB; USPAT; USOCR; EPO; JPO; BM_TDB	OR	ON	2007/02/02 12:08
S11	1	Se and (data with structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; BM_TDB	OR	ON	2007/02/02 12:08
S12	1	S7 and plac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:05
S13	1	S7 and object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:40

S14	1	S7 and member	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM TDB	OR	ON	2007/02/02 13:41
S15	1	S7 and (member with collect\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:43
S16	1	S7 and identif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:44
S17	0	S7 and (identif\$4 with start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:45
S18	1	S7 and (identif\$4 with collect\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:45
S19	1	("6904454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 14:20
S20	1	S19 and order\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 14:21
S21	1	("20020073232").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:38
S22	1	("6012067").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 14:21
S23	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 14:21
S24	1	S23 and collection	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 14:21

S25	1792	binary with fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM TDB	OR	ON	2007/09/14 11:13
S26	48	\$25 and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14
S27	59	\$25 and "707", CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:13
\$28	28	\$27 and collection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
\$29	6	seriliz\$ with object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
S30	2758	serializ\$ with object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
\$31	289	\$30 and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
\$32	113	S31 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:16
S33	94	S32 and collection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:07
S34	52	primitive with data with member	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:07
S35	4	primitive with data with member with integer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM TDB	OR	ON	2007/09/14 12:09

S36	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/14 12:30
S38	9654	707/101.CQLS. 707/100.CQLS. 707/103R.CQLS.	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/14 12:32
S39	403	\$38 and (container or collection) and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:33
S40	268	\$39 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:35
S41	15	S40 and (serializ\$ with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:53
S42	3	S41 and primitive	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:35
S43	22	S40 and (primitive with type)	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:44
S44	4	S40 and (primitive with type with (integer or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:53
S45	0	S41 and (primitive with type with (integer or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:53
S46	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/16 16:13
S47	9654	707/101.CQLS. 707/100.CQLS. 707/103R.CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/16 16:13

S48	403	S47 and (container or collection) and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/16 16:13
S49	268	S48 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/16 16:13
S50	1	("20050234986").PN.	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/12 13:37
S51	1	SS0 and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/12 12:26
S52	1	S50 and (carrier or wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:26
S53	0	S50 and (comunication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:26
S54	О	S50 and (communication)	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:26
S55	1	SS0 and (storage with format)	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/12 13:37
S56	442	binary near2 fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 18:59
S57	1	(binary near2 fragment) with header	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:00
S58	0	("20050234986and (computerwithreadable)"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/14 19:02

S59	1	("20050234986"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/14 19:02
S60	1	S59 and (computer with readable with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:02
S61	1	S59 and (computer near2 readable near2 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:04
S62	1	959 and primitive	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:06
S63	1	S59 and (signal or carrier or waver or paper)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:35
S64	1	("20050234986"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/15 19:37
S65	1	S64 and (record with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:38
S66	1	S64 and (storage with engine with record with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:39
S67	1	(US-5634123-\$).did.	USPAT	OR	OFF	2008/03/15 19:45
S68	1	S64 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:46
S69	1	S67 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:46

S70	0	S67 and (collection with start with fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2008/03/15 21:06
S71	1	S64 and (collection with start with fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 21:06
S72	1	\$64 and (collection near1 start near1 fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 21:07
S73	1	S64 and member	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 23:25
S74	1	S64 and (member with collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 23:26
S75	1	("20050234986"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/17 09:47
S76	1	S75 and (computer with readable with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; JBM_TDB	OR	ON	2008/03/17 09:47
S77	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/17 14:56
S78	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; JBM_TDB	OR	OFF	2008/11/15 11:05
S79	0	S78 and (computer\$readable adj medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; JBM_TDB	OR	ON	2008/11/15 11:06
S80	0	\$78 and (computer\$readable)	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2008/11/15 11:06

S81	1	("20050234986").PN.	US-PGPUB; USPAT; USOOR: EPO:	OR	OFF	2008/11/16 13:46
			JPO; IBM_TDB	***************************************		
S82	1	S81 and property	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 13:46
S83	1	S81 and (property with bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 13:46
S84	1	("6904454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 13:48
S85	1	S84 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 13:50
S86	1	("5634123"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 14:25
S87	1	S86 and (data with structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S88	1	(US-5634123-\$).did.	USPAT	OR	OFF	2008/11/16 14:25
S89	1	S88 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S90	1	("20050234986"), PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 14:25
S91	1	\$90 and (member with collect\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25

S92	3305	serializ\$ with object	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S93	11934	707/101.00LS, 707/100.00LS, 707/103R.00LS,	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 14:25
S94	513	\$93 and (container or collection) and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S95	294	\$94 and @ad<"20040409"	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S96	20	S95 and (serializ\$ with object)	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S97	1	("20040220946").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/05/07 18:58
S98	0	S97 and terminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:07
S99	0	S97 and self	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:08
S100	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/05/07 19:21
S101	1	S100 and (self\$1terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:21
S102	17	(self\$1terminat\$4) and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:23

S103	2	((self\$1terminat\$4) near3 (flag or bit)) and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:24
S104	2	((self\$1terminat\$4) near3 (flag\$4 or bit)) and payload	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:24
S105	11	\$102 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:25
S106	22	(self\$1terminat\$4) and serializ\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:28
S107	18	S106 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:28
S108	4	S107 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:29
S109	14	S107 not S108	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:31
S110	1174	(((terminat\$4) near3 (flag\$4 or bit or code or field)) and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:33
S111	2	((self\$1terminat\$4) near3 (flag\$4 or bit or code or field)) and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:33
S112	260	((terminat\$4) near3 (flag\$4 or bit or code or field)) and payload and serializ\$6	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:34
S113	164	S112 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:34

S114	10	S113 and "707".QLAS.	US-PGPUB; USPAT; USOOR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:34
S115	4	S114 and (((terminat\$4) near3 (bit)) and payload and serializ\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/07 19:44

5/8/2009 10:41:14 AM

C:\ Documents and Settings\ gcolan\ My Documents\ EAST\ Workspaces\ case10821687.wsp